EQUIPMENT INVENTORY LIST

CAMERAS:

	Equipment	Quantity	Included Accessories / Information
	Canon C100 Mark II (cinema camera)	6	24-105mm L-Series Lens (f/4-22) Attachable Azden SGM-1x shotgun microphone 2 16GB SD cards and 1.5ft XLR cable
CONTRACTOR OF THE PARTY OF THE	Canon 60D (DSLR)	5	18-200mm Kit Lens (3.5-22 F-Stop) Interchangeable lens One 32GB SD card and two batteries Attachable Rode Mic
GIN LUMIX	Panasonic GH4	1	Metabones adapter for Canon lenses (this camera does not come with a lens) 4K resolution capability 2 batteries 128GB and 16GB microSD card
	JVC 100U (camcorder)	1	Comes with 3 batteries and a charging unit Has no SDI outputs (needs to be adapted and connect to 3 BNC cables to broadcast live through the Tricaster - requires the tricaster adapter bag) Only available for live shows or multi-cameras shoots
HEROS (GoPro Hero 3	1	2 batteries and a 32gb Micro SD Card Chest mount, head mount, suction cup Includes both skeleton door and waterproof housing Wide angle: Great for sports, underwater

			footage, time lapses
	GoPro Omni	1	8K capture Lightweight, multi-panel aluminum frame with 6 GoPro cameras V-mount battery power High-resolution 360° spherical video content *All members operating or checking out the Go Pro Omni must first be advanced certified
Cause 10	Canon XA25 Live Stream Kit	1	Includes Livestream Laptop *Priority given to live event coverage

LENS + CAMERA ACCESSORIES:

	Equipment	Quantity	Included Accessories / Information
	Sigma 18-35mm Lens	3	Aperture range f/1.8-16 Wide angle lens Good compromise between low light and zoom capabilities
Toning 1 Traction	Rokinon 85mm Cine Lens	2	Aperture range T/1.5-T22 Telephoto manual/prime lens, does not zoom or autofocus Excellent in low light De-clicked aperture ring

CORON C E E E E E E E E E E E E E E E E E E	Rokinon 50mm Cine Lens	2	Aperture range T/1.5-T22 Manual/prime lens, does not zoom or autofocus Excellent in low light De-clicked aperture ring
POKYNON 20 Pami ú/a ja jago gar ang	Rokinon 12mm Lens	2	Aperture range f/2.8-22 Extreme wide angle manual/prime lens, does not zoom or autofocus Good for minimal distortion, low light
A A A A A A A A A A A A A A A A A A A	Tamron 24-70mm Lens	1	Aperture range f/2.8-22 Excellent zoom range and low light capabilities, very versatile VR (Vibration Reduction) - Tamron's version of Image Stabilization
See the first of t	Canon 70-200mm Lens f/4	2	Aperture range f/2.8-32 Telephoto zoom lens Excellent zoom range, excellent low light capabilities
(COM 1000 LINS 15 13-40mm 14 19)	Canon 17-40mm L Lens	1	Aperture range f/4-22. Wide angle zoom lens Good for wide to medium shots, sub-par low light capabilities
16 3 00 1/m 20 11 1 is 25	Rokinon 35mm Prime	1	Aperture range f/2-22 Wide angle prime lens (doesn't zoom but does have autofocus) Excellent for low light settings

·			
New 10 In 1 A comment of 10 In	Canon 24-105 L Lens	1	Aperture range f/4-22 Wide angle to telephoto zoom lens Excellent zoom, sub-par low light capabilities IS - Image Stabilization
The Digital Polare sales Reviews	Rokinon 35mm Cine Lens	1	Aperture range T/1.5-22 Wide angle prime/manual lens, doesn't zoom or autofocus Excellent low light capabilities De-clicked aperture
	Neutral Density Filter	3	Neutral Density 77mm (2) - Good for darkening skies, managing reflections, and suppressing glare
Canon STRUCT SOUR	Canon 580EX II External Flash	1	Great to obtain professional lighting in dimly lit areas. Attaches to the hot shoe at the top of DSLR cameras Full Swivel

TRIPODS/ STABILIZERS:

	Equipment	Quantity	Included Accessories / Information
10 10 10 10 10 10 10 10 10 10 10 10 10 1	502 Manfrotto Tripod	6	Mid-weight, Newest tripod
H	mpod		Fluid head
I			Lightweight with great stability and 33 pound load capability

516 Manfrotto Tripod	2	Smallest tripod available Good for travel Cannot support much weight (camera-wise)
546 Manfrotto Tripod	1	Maximum Height - 60.63" Minimum Height - 11.81" Closed Length - 27.17" Fluid head, Heavy-duty tripod
535 Manfrotto Tripod	3	Medium-heavy weight, older model Fluid head
701 Manfrotto Tripod	5	Lightweight, older model Compact and portable
Zhiyun-Tech Crane-2 3-Axis Stabilizer with Follow Focus	1	Best for smooth tracking shots. Electronic Follow Focus Control. Camera Control via Handgrip Buttons Quick Release Camera Plate *All members operating or checking out the flycam must first be advanced certified

	Flycam	1	Best for smooth tracking and panning shots Converts between monopod and Flycam *All members operating or checking out the flycam must first be advanced certified
	Steadicam	1	*All members operating or checking out the steadicam must first be advanced certified
The same of the sa	Sirui Monopod	1	Fold-out legs with 360° swivel and 20° tilt. 4 sections, twist locks Aluminum-Alloy Construction Hand Strap
	Low Angle Tripod	1	Best for capturing low angles that other tripods can't manage
	DJI Osmo Support Gimbal for Smartphones	4	A handheld smartphone gimbal for mobile videography. Great for on-the-go reporting or tracking shots with your smartphone. Bluetooth Compatibility with iPhone and Android with the DJI Go App. *ONLY comes in iPhone Journalism Kit

Revo SR-1500 Shoulder Support Rig	3	Highly versatile design Improves stability of handheld shots Padded shoulder mount for comfort
DLC Shoulder Hand Brace	3	A balance between handheld and tripod Adds stabilization to tracking and panning shots
Tilta Rig Follow Focus Kit TT-03-GJ	1	Great for sharp focusing in camera movements. Portable Quick Release Base Plate. Follow Focus with Hard Stops. For 15mm Rod Systems. Whips, Handle, Lens Gears, & Hard Case.
Revo 23" Slider	1	Great for smooth shots/ horizontal tracking shots
Crane	1	*All members operating or checking out the crane must first be advanced certified Best for pans and tilts Checkout includes a large Manfrotto tripod

	Equipment	Quantity	Included Accessories / Information
	Aputure Light Storm LS C120d DAYLIGHT LED Light Kit	2	Includes: One Light, power adapter, and portable V-Mount Battery for mobile productions. 6000K Color Temperature (A blue color temperature) Can come with stand upon request
	Aputure Light Storm LS C120t TUNGSTEN LED Light Kit	2	Includes: One Light, power adapter, and portable V-Mount Battery for mobile productions. 3000K Color Temperature Can come with stand upon request.
	Aputure Light Dome for Light Storm	2	Works with the Aputure Light Storm DAYLIGHT LED. Primarily used for fill or back lighting.
	Aputure Space Light for Light Storm	1	Works with the Aputure Light Storm DAYLIGHT LED. Primarily used for overhead soft lighting.
	Aputure Fresnel Lens Mount for Light Storm	1	Works with the Aputure Light Storm DAYLIGHT & TUNGSTEN LED. This mount accurately imitates what a traditional fresnel light would do. Primarily used for key lighting.
55	Lowell 3-Piece Lighting Kit	1	Includes: 3 lights - umbrella - light stands - barn doors Primarily used for fill and back lighting First priority given to live shows Each light = 2 amps

LOWIELENIA	Lowell Softbox Kit	1	Includes: 2 lights - v lamp - softbox light - light stands - barn doors Primarily used for fill and back lighting First priority given to live shows Each light = 2 amps
	Arri Fresnel Lighting Kit	1	Includes: 3 lights, barndoors Comes in a hard case that has wheels for portable transportation Primarily used for key lighting First priority given to live shows Each light = 5.5 amps
	Neewer LED	6	Includes color temperature filters and has adjustable light intensity Mounts to the hot shoe at the top of DSLR cameras (great for mobility) Includes a rechargeable battery Great for night shoots - Can illuminate the subject while keeping the background dark
	Flolight LED 512	1	LED has a blue color temperature (~5600K) Can come with stand upon request Half as big as the 1024 LED
	Microbeam LED 1024	4	This LED has a blue color temperature Includes an orange color temperature filter Can come with stand upon request Each light = 1.2 amps

5-in-1 Reflector	2	Has both reflecting and diffusing capabilities Can come with stand upon request
5-in-3 Reflector	1	Includes - 4.9 x 6.6' Collapsible Diffuser - 4.9 x 6.6' Collapsible Reflector (Gold/Silver) - 4.9 x 6.6' Collapsible Reflector (White/Silver&Gold)
Light Stand	8	Compatible with Neewer LED lights, Microbeam LED lights, and Aputure Light Storm LED lights
C-Stand	4	Twist and Release Locking Legs Can be used for Lighting and Audio Equipment Clamps not included
C-Stand Flag Clamp	2	Attaches to C-stand to hold flags, diffusers, and scrims in place Compatible with most lighting equipment Can also be used to hold wires and cables in place

	Hollywood Grip Head	3	Attaches to C-stand to hold gobo arms, flags, diffusers, etc. in place Has four holes that vary in size to accommodate different items Can adjust the rotation of a flag, gobo arm, etc
	Avenger Super Clamp Grip Head	4	Compatible with C-Stand Allows you to hang flags and scrims in positions that C-stands can't reach The head's non-slip grip pad locks securely for precision control The Super Clamp jaws open to 2.5" The grip head can accept grip arms, studs or pins to diameters 5/8"
Caller Effects Caller Effects Service and an analysis of the service and analysis of the service analysis o	Roscoe Color Effects Kit	1	Includes 15 color chips ranging across the color spectrum 12" x 12" filters Can be used to enhance lighting, background, and create a "mood" for the film
Chicago Difference St.	White Diffusion Sheets	1	Includes 15 diffusion sheets 21" x 24" filters Can be used to diffuse and soften light if too harsh
	Lighting Accessory Kit	1	Two Westcott Umbrellas & Straws Lighting Stand (you can attach both umbrellas to) Reflector & Black Paper Various CTO's and Correction Filters

		Phottix Ares Wireless Trigger Set (not everything is shown in image)
Matthews 48"x48" Flag	4	Flags are square or rectangular frames with mounting pins attached Used to control natural or artificial light Can be used to protect the camera lens from flares, control spill light from other sources, or keep light from reaching an area on the set A C-Stand and Grip Head should be checked out for this function well
Matthews 24x36" Flag	4	Flags are square or rectangular frames with mounting pins attached Used to control natural or artificial light Can be used to protect the camera lens from flares, control spill light from other sources, or keep light from reaching an area on the set A C-Stand and Grip Head should be checked out for this function well
Matthews 48"x48" Scrim	2	Used to reduce the intensity and/or harshness of the light A C-Stand and Grip Head should be checked out for this function well

	Digital Juice Pro Flag Kit (24 x 36")	2	Flags are square or rectangular frames with mounting pins attached
			Used to control natural or artificial light
			5x Flag Frames
೯೭೩೦ಥಿ-ಫ			2x Black Net
			1x 1-Stop Silk
			1x 2-Stop Silk
			1x Solid Black
			1x 6.0" Solid Dot
			1x 6.0" Single Net Dot
			1x 4.0 x 14" Solid Finger
			1x 4.0 x 14" Single Net Finger

AUDIO:

	Equipment	Quantity	Included Accessories / Information
Town 1:	Lavalier	3	Omnidirectional mic Good for content that focuses on only one or two subjects
	H1	10	Built in speaker XY stereo mic configuration 2GB memory card included Auto Gain Control and low-cut filter
	H5	7	A compact, portable handheld digital recorder that is capable of four-track recording and features an interchangeable, modular microphone system

Boom Kit	7	K - Teks (4); Pearson (1); Other (1) Must be connected to an external recording device (H5) with an XLR cable Comes with AA Batteries but can also be powered through phantom power
Shotgun Mic	3	With wind filter Must be connected to an external recording device (H4N or Tascam) - Requires an XLR cable and phantom power Great for sports games
Headphones	5	Ideal for monitoring audio quality or for editing Same day checkout available
iPhone Journalism Kit	4	Includes: - DJI Osmo Mobile 2 Gimbal - Zoom IQ7 Microphone for iOS Devices - Sandisk iXpand Drive 64GB for iOS Devices Priority given to: City On A Hill Press
Headsets	1	Includes 4 wireless headsets Only available for live or Rainbow TV shoots
Boom Pole Holders	2	Replaces the position of holding a boom mic Must be attached to a C-Stand in order to get best results Hands Free Operation

Audio Mixer	1	Has XLR audio inputs for mics; and XLR outputs that connect the audio being received to the Tricaster Only available for live or multi-camera shoots Required if the Tricaster is checked out
Bose SoundLink Bluetooth Speaker	1	14 hours of playing time Wall charger allows playing while charging Wireless transmission range of 30 ft AUX port for devices not enabled for Bluetooth
Creative Inspire T3000 Speakers	1	Wired remote control 2 speakers + subwoofer AUX cable included
Microphone Table Stand	2	Requires an XLR Cable Can be used as a prop
Microphone Floor Stand	2	Holds an Omnidirectional mic Can be used as a prop
Crown Mic	3	Omnidirectional mic Can be used individually or hooked up to a boom or shotgun mic Includes AA batteries

Shure Omnidirectional Mic	1	Omnidirectional mic Can be used individually or hooked up to a boom or shotgun mic Includes AA batteries Can be used as a prop
Zoom IQ7	1	For iOS devices only Mid-side Stereo Microphone Good for interviews and casual audio recording

OTHER EQUIPMENT:

	Equipment	Quantity	Included Accessories / Information
	Black Magic and Toaster	1	Includes cables and 2 hard drives The Black Magic is used for recording or removing footage off of the Tricaster onto a hard drive. The Toaster is used for copying that footage from the harddrive to a computer
	BNC Cable		For video connection Connects the camera to the Tricaster Lengths: 10ft, 25ft, 50ft, 100ft
	Colby TV Monitor	1	Ideal for live shoots: Can connect to the TV to show talent and crew what is being broadcasted live
The state of the s	9-Section Production Clapper Slate	6	Color Clapper Sticks Dry Erase

DIAMO DE LA CONTRACTION DE LA	Dymo Label Maker	1	Same day checkout available Limited to in-house checkouts only
	Extension Cable	4	Almost always required for live shoots
	10 ft Floor Mat		For use on larger sets, for covering multiple cables in lieu of gaffing individually Slip-resistant
NINIA 2 1080159.94 Profiles 4229 Rec Play Mon Metu 12:17:01:00 9 05:39:4469	Atomos Ninja Blade 5" SDI Monitor	2	5" IPS 1280 x 720 capacitive touch screen monitor/recorder Focus Peaking, 0-100% Zebra, and two modes of False Color monitoring S-Log / C-Log recording Comes with hot shoe attachment
	7" Field Monitor	1	Provides better clarity and higher resolution to assist with setting up and capturing shots Mounts to the hot shoe at the top of DSLR cameras
The case of the ca	Gaff Tape		Necessary anytime there are cables on set

	Green Screen	1	Includes stand and clips
	Green Gorden		First priority given to live shows Sand bags are required and must be requested separately
	HDMI Cable		
	Laminator	1	Includes laminating slips and supplies Same day checkout available Limited to in-house checkouts only
	Power Strip	6	
	Dell Projector	1	Same day checkout available High-brightness projector Easy set-up and fast source switching for multi-user collaboration
	Epson Duet 80-Inch Dual Aspect Ratio Projection Screen	1	Use with any home theater or business projector. Expand Screen to the size that best meets your needs - Standard 4:3 or widescreen 16:9 Mount on the included floor stand. When closed, Duet forms its own carrying case (just 43" long)
B071 MSE	Sandbags		Sizes: 9 small, 11 large, 9 Boa Always necessary when checking out lighting equipment (Lowell, Arri, Microbeam) or the green screen

Teleprompter	1	Mounts on top of a 516 Tripod Only available for live shows
VGA Cable	5	- Male to Male - Female to Male 6ft in length
Wacom Pen Tablet	1	Includes stylus Same day checkout available Limited to in-house checkouts only
LG Super-Multi Drive	1	Internal DVD/CD writer
Kingston 19-in-1 Flash Memory Card Reader		Support for: MMCmobile, SD, SDHC, MMC, MMCplus, RS-MMC; MiniSD,miniSDHC; microSD, microSDHC; MMCmicro; CF Type I and II, Microdrive; MemoryStick, Memory Stick Pro, Memory Stick Duo, Memory Stick Pro Duo; MemoryStick Micro (M2) Quick and easy USB 2.0 plug
XLR Cable		For audio connection Lengths: 1.5ft, 10ft, 25ft, 50ft, and 100ft

NIGHT STATE OF THE	AA/AAA Rechargeable Batteries	13	Assortment of 13 batteries and 4 chargers
ALBANIA I	Midland GXT Walkie Talkies	8	4 pairs of 2 Range of up to 36 miles 50 channels In-ear headset or on-ear headset
SanDisk SDHC Card Market Specific Control Ma	SD Card		Different GB sizes available upon request
010	DVD Writer	3	LG Slim Portable DVD Writer AC Adapter Free Uses USB 2.0 Cable
	Macbook Pro	6	Up to 10 hours of battery life 500-nit Retina display Up to 4.1GHz Turbo Boost

Coordinate of the second	Intensity Shuttle	1	High quality analog connections HDMI digital connections as well as HDMI capture and playback USB 3.0 or Thunderbolt
9:41 Paraday Enganator 12	iPad Pro	2	iOS operating system 120Hz refresh rate Priority given to animation students
	Anker Portable USB Charger	6	Comes with USB to micro-USB cable Holds almost two full smart phone charges
	Samson LS40 Lightweight Speaker Stand	1	For use with the projection screen
BONY	Sony Blu-Ray Disc/DVD Player	1	Plays Blu-ray and DVD discs Used for archiving purposes Model BDP-S1700

PR 40	Heil PR 40 Mic	2	Cardioid Podcast-Quality Microphone Comes with small stand
- WE DINAMINE S	DM1 Dynamite Active Inline Microphone Preamp	2	Amplifies audio signal Can be attached to the PR 40 Mic for louder audio
Student of The Marth	Button Maker Kit	1	Comes with metal buttons, button press, and instructions Only for in-house checkout